



Specificare il lato attacchi idraulici batteria

Specify the water coil connections side

- SX = Sinistra – Left (STANDARD)
- DX = Destra – Right



1 BATTERIA
COIL

2
Tubi - Pipes

Taglia - Size	FC	12	22	32	42	52	62	72	82	92	102	92P	102P	112P	122P
Pot. frigorifera Totale - Total Cooling cap.	W	1.500	2.000	2.530	3.020	3.750	4.250	5.520	6.420	7.530	9.020	8.140	9.820	9.600	10.710
Potenzialità Termica - Heating capacity	W	3.740	4.910	5.980	6.710	8.160	9.440	12.000	13.300	15.500	18.100	16.830	19.790	21.100	23.200
Portata aria - Air flow	m³/h	370	400	500	550	670	720	1.000	1.050	1.280	1.310	1.450	1.500	1.910	1.940
Livelli sonori - Sound levels	Min-Med-Max dB(A)	24-31-38	25-31-38	30-38-44	31-38-45	26-33-37	27-34-37	34-41-43	35-41-45	39-46-48	40-46-49	43-48-51	44-49-52	45-48-51	46-48-51

Mod.	IV1 versione incasso verticale (base; senza mobile) vertical concealed version (basic; without cabinet)															
	FC 12 IV1	FC 22 IV1	FC 32 IV1	FC 42 IV1	FC 52 IV1	FC 62 IV1	FC72 IV1	FC 82 IV1	FC 92 IV1	FC 102 IV1	FC 92P IV1	FC 102P IV1	FC 112P IV1	FC 122P IV1		
Cod.	080012031	080022031	080032031	080042031	080052031	080062031	080072031	080082031	080092031	080102031	080093031	080103031	080112031	080122031		
Euro																
(*) kg	10,7	11,2	13,5	14,3	19,5	20,5	22,9	24,4	26,8	28,3	27,8	29,3	30,7	34,2		
L x H x S	450 x 450 x 215															

Mod.	IV2 versione incasso verticale (aspirazione aria frontale; senza mobile) vertical concealed version (front air intake; without cabinet)															
	FC 12 IV2	FC 22 IV2	FC 32 IV2	FC 42 IV2	FC 52 IV2	FC 62 IV2	FC72 IV2	FC 82 IV2	FC 92 IV2	FC 102 IV2	FC 92P IV2	FC 102P IV2	FC 112P IV2	FC 122P IV2		
Cod.	080012032	080022032	080032032	080042032	080052032	080062032	080072032	080082032	080092032	080102032	080093032	080103032	080112032	080122032		
Euro																
(*) kg	10,6	11,1	13,4	14,2	19,4	20,4	22,7	24,2	26,6	28,1	27,6	29,1	30,5	34,0		
L x H x S	450 x 450 x 215															

Mod.	IV3 versione incasso verticale (mandata aria frontale; senza mobile) vertical concealed version (front air supply; without cabinet)															
	FC 12 IV3	FC 22 IV3	FC 32 IV3	FC 42 IV3	FC 52 IV3	FC 62 IV3	FC72 IV3	FC 82 IV3	FC 92 IV3	FC 102 IV3	FC 92P IV3	FC 102P IV3	FC 112P IV3	FC 122P IV3		
Cod.	080012033	080022033	080032033	080042033	080052033	080062033	080072033	080082033	080092033	080102033	080093033	080103033	080112033	080122033		
Euro																
(*) kg	11,1	11,6	14,1	14,9	20,3	21,3	23,9	25,4	28,0	29,5	29,0	30,5	32,1	35,6		
L x H x S	450 x 450 x 215															

Mod.	IV4 versione incasso verticale (aspirazione e mandata aria frontali; senza mobile) vertical concealed version (front air intake and supply; without cabinet)															
	FC 12 IV4	FC 22 IV4	FC 32 IV4	FC 42 IV4	FC 52 IV4	FC 62 IV4	FC72 IV4	FC 82 IV4	FC 92 IV4	FC 102 IV4	FC 92P IV4	FC 102P IV4	FC 112P IV4	FC 122P IV4		
Cod.	080012034	080022034	080032034	080042034	080052034	080062034	080072034	080082034	080092034	080102034	080093034	080103034	080112034	080122034		
Euro																
(*) kg	11,0	11,5	14,0	14,8	20,2	21,2	23,7	25,2	27,8	29,3	28,8	30,3	31,9	35,4		
L x H x S	450 x 450 x 215															

Mod.	IO1 versione incasso orizzontale (base; senza mobile) - Estrazione filtro dal basso, obliqua, NON canalizzabile horizontal concealed version (basic; without cabinet) - Oblique downward filter extraction, NOT ductable															
	FC 12 IO1	FC 22 IO1	FC 32 IO1	FC 42 IO1	FC 52 IO1	FC 62 IO1	FC72 IO1	FC 82 IO1	FC 92 IO1	FC 102 IO1	FC 92P IO1	FC 102P IO1	FC 112P IO1	FC 122P IO1		
Cod.	080012041	080022041	080032041	080042041	080052041	080062041	080072041	080082041	080092041	080102041	080093041	080103041	080112041	080122041		
Euro																
(*) kg	11,1	11,6	13,9	14,7	19,9	20,9	23,3	24,8	27,2	28,7	28,2	29,7	31,1	34,6		
L x H x S	545 x 450 x 215															

Mod.	IO2 versione incasso orizzontale (aspirazione aria frontale; senza mobile) horizontal concealed version (front air intake; without cabinet)															
	FC 12 IO2	FC 22 IO2	FC 32 IO2	FC 42 IO2	FC 52 IO2	FC 62 IO2	FC72 IO2	FC 82 IO2	FC 92 IO2	FC 102 IO2	FC 92P IO2	FC 102P IO2	FC 112P IO2	FC 122P IO2		
Cod.	080012042	080022042	080032042	080042042	080052042	080062042	080072042	080082042	080092042	080102042	080093042	080103042	080112042	080122042		
Euro																
(*) kg	11,0	11,5	13,8	14,6	19,8	20,8	23,1	24,6	27,0	28,5	28,0	29,5	30,9	34,4		
L x H x S	545 x 450 x 215															

Mod.	IO3 versione incasso orizzontale (base; senza mobile) - Estrazione filtro dal basso, verticale, canalizzabile horizontal concealed version (basic; without cabinet) - Vertical downward filter extraction, ductable															
	FC 12 IO3	FC 22 IO3	FC 32 IO3	FC 42 IO3	FC 52 IO3	FC 62 IO3	FC72 IO3	FC 82 IO3	FC 92 IO3	FC 102 IO3	FC 92P IO3	FC 102P IO3	FC 112P IO3	FC 122P IO3		
Cod.	080012043	080022043	080032043	080042043	080052043	080062043	080072043	080082043	080092043	080102043	080093043	080103043	080112043	080122043		
Euro																
(*) kg	11,2	11,7	14,0	14,8	20,0	21,0	23,4	24,9	27,3	28,8	28,3	29,8	31,2	34,7		
L x H x S	545 x 450 x 215															

Mod.	IO4 versione incasso orizzontale (base; senza mobile) - Estrazione filtro dall'alto, verticale, canalizzabile horizontal concealed version (basic; without cabinet) - Vertical upward filter extraction, ductable															
	FC 12 IO4	FC 22 IO4	FC 32 IO4	FC 42 IO4	FC 52 IO4	FC 62 IO4	FC72 IO4	FC 82 IO4	FC 92 IO4	FC 102 IO4	FC 92P IO4	FC 102P IO4	FC 112P IO4	FC 122P IO4		
Cod.	080012044	080022044	080032044	080042044	080052044	080062044	080072044	080082044	080092044	080102044	080093044	080103044	080112044	080122044		
Euro																
(*) kg	11,2	11,7	14,0	14,8	20,0	21,0	23,4	24,9	27,3	28,8	28,3	29,8	31,2	34,7		
L x H x S	545 x 450 x 215															



(*) kg = Peso netto (solo unità, escluso imballo)
L x H x S = Lunghezza x Altezza x Spessore (dimensioni in mm)

(*) kg = Net weight (unit only, excluding packaging)
L x H x S = Length x Height x Depth (dimensions in mm)

Specificare il lato attacchi idraulici batteria

Specify the water coil connections side

- SX = Sinistra - Left (STANDARD)
- DX = Destra - Right



2 BATTERIE COILS **4**
Tubi - Pipes

Taglia - Size	FC	14	24	34	44	54	64	74	84	94	104	94P	104P	114P	124P
Pot. frigorifera Totale - Total Cooling cap.	W	1.450	1.940	2.470	2.920	3.650	4.110	5.390	6.230	7.350	8.810	7.970	9.620	9.420	10.510
Potenzialità Termica - Heating capacity	W	1.880	1.980	3.180	3.350	4.380	4.550	6.290	6.460	7.990	8.110	8.700	8.900	11.090	11.200
Portata aria - Air flow	m ³ /h	350	380	480	520	640	680	960	1.000	1.230	1.260	1.400	1.450	1.850	1.880
Livelli sonori - Sound levels	Min-Med-Max dB(A)	24-31-38	25-31-38	30-38-44	31-38-45	26-33-37	27-34-37	34-41-43	35-41-45	39-46-48	40-46-49	43-48-51	44-49-52	45-48-51	46-48-51

Mod.	Cod.	VM1 versione verticale a parete (mobile base) vertical wall version (basic cabinet)													
		FC 14 VM1	FC 24 VM1	FC 34 VM1	FC 44 VM1	FC 54 VM1	FC 64 VM1	FC74 VM1	FC 84 VM1	FC 94 VM1	FC 104 VM1	FC 94P VM1	FC 104P VM1	FC 114P VM1	FC 124P VM1
Euro															
(*) kg		14,4	14,9	17,4	18,2	23,6	24,6	27,2	28,7	31,3	32,8	32,3	33,8	35,4	38,9
L x H x S		670 x 470 x 220	670 x 470 x 220	870 x 470 x 220	870 x 470 x 220	1.070 x 470 x 220	1.070 x 470 x 220	1.270 x 470 x 220	1.270 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.670 x 470 x 220	1.670 x 470 x 220
Mod.	Cod.	VM2 versione verticale a pavimento (mobile con zoccolone+griglia aspirazione aria) vertical floor version (cabinet with air intake feet support+grill)													
		FC 14 VM2	FC 24 VM2	FC 34 VM2	FC 44 VM2	FC 54 VM2	FC 64 VM2	FC74 VM2	FC 84 VM2	FC 94 VM2	FC 104 VM2	FC 94P VM2	FC 104P VM2	FC 114P VM2	FC 124P VM2
Euro															
(*) kg		15,9	16,4	19,2	20,0	25,7	26,7	29,6	31,1	34,0	35,5	35,0	36,5	38,4	41,9
L x H x S		670 x 625 x 220	670 x 625 x 220	870 x 625 x 220	870 x 625 x 220	1.070 x 625 x 220	1.070 x 625 x 220	1.270 x 625 x 220	1.270 x 625 x 220	1.470 x 625 x 220	1.470 x 625 x 220	1.470 x 625 x 220	1.470 x 625 x 220	1.670 x 625 x 220	1.670 x 625 x 220
Mod.	Cod.	VM3 versione verticale a pavimento (mobile con griglia aspirazione aria frontale) vertical floor version (cabinet with front air intake grill)													
		FC 14 VM3	FC 24 VM3	FC 34 VM3	FC 44 VM3	FC 54 VM3	FC 64 VM3	FC74 VM3	FC 84 VM3	FC 94 VM3	FC 104 VM3	FC 94P VM3	FC 104P VM3	FC 114P VM3	FC 124P VM3
Euro															
(*) kg		14,7	15,2	17,9	18,7	24,3	25,3	28,1	29,6	32,4	33,9	33,4	34,9	36,7	40,2
L x H x S		670 x 470 x 220	670 x 470 x 220	870 x 470 x 220	870 x 470 x 220	1.070 x 470 x 220	1.070 x 470 x 220	1.270 x 470 x 220	1.270 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.670 x 470 x 220	1.670 x 470 x 220
Mod.	Cod.	VM4 versione verticale a parete (mobile con griglia mandata aria frontale) vertical wall version (cabinet with front air supply grill)													
		FC 14 VM4	FC 24 VM4	FC 34 VM4	FC 44 VM4	FC 54 VM4	FC 64 VM4	FC74 VM4	FC 84 VM4	FC 94 VM4	FC 104 VM4	FC 94P VM4	FC 104P VM4	FC 114P VM4	FC 124P VM4
Euro															
(*) kg		14,8	15,3	18,0	18,8	24,4	25,4	28,2	29,7	32,5	34,0	33,5	35,0	36,8	40,3
L x H x S		670 x 465 x 230	670 x 465 x 230	870 x 465 x 230	870 x 465 x 230	1.070 x 465 x 230	1.070 x 465 x 230	1.270 x 465 x 230	1.270 x 465 x 230	1.470 x 465 x 230	1.470 x 465 x 230	1.470 x 465 x 230	1.470 x 465 x 230	1.670 x 465 x 230	1.670 x 465 x 230
Mod.	Cod.	VM5 versione verticale a pavimento (mobile con griglie aspirazione e mandata aria frontali) vertical floor version (cabinet with front air intake and supply grills)													
		FC 14 VM5	FC 24 VM5	FC 34 VM5	FC 44 VM5	FC 54 VM5	FC 64 VM5	FC74 VM5	FC 84 VM5	FC 94 VM5	FC 104 VM5	FC 94P VM5	FC 104P VM5	FC 114P VM5	FC 124P VM5
Euro															
(*) kg		15,1	15,6	18,5	19,3	25,1	26,1	29,1	30,6	33,6	35,1	34,6	36,1	38,1	41,6
L x H x S		670 x 465 x 230	670 x 465 x 230	870 x 465 x 230	870 x 465 x 230	1.070 x 465 x 230	1.070 x 465 x 230	1.270 x 465 x 230	1.270 x 465 x 230	1.470 x 465 x 230	1.470 x 465 x 230	1.470 x 465 x 230	1.470 x 465 x 230	1.670 x 465 x 230	1.670 x 465 x 230
Mod.	Cod.	OM1 versione orizzontale a soffitto (mobile base) horizontal ceiling version (basic cabinet)													
		FC 14 OM1	FC 24 OM1	FC 34 OM1	FC 44 OM1	FC 54 OM1	FC 64 OM1	FC74 OM1	FC 84 OM1	FC 94 OM1	FC 104 OM1	FC 94P OM1	FC 104P OM1	FC 114P OM1	FC 124P OM1
Euro															
(*) kg		15,6	16,1	19,0	19,8	25,6	26,6	29,6	31,1	34,1	35,6	35,1	36,6	38,6	42,1
L x H x S		670 x 470 x 220	670 x 470 x 220	870 x 470 x 220	870 x 470 x 220	1.070 x 470 x 220	1.070 x 470 x 220	1.270 x 470 x 220	1.270 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.670 x 470 x 220	1.670 x 470 x 220
Mod.	Cod.	OM2 versione orizzontale a soffitto (mobile con zoccolone+griglia aspirazione aria) horizontal ceiling version (cabinet with air intake feet support+grill)													
		FC 14 OM2	FC 24 OM2	FC 34 OM2	FC 44 OM2	FC 54 OM2	FC 64 OM2	FC74 OM2	FC 84 OM2	FC 94 OM2	FC 104 OM2	FC 94P OM2	FC 104P OM2	FC 114P OM2	FC 124P OM2
Euro															
(*) kg		17,1	17,6	20,8	21,6	27,7	28,7	32,0	33,5	36,8	38,3	37,8	39,3	41,6	45,1
L x H x S		670 x 625 x 220	670 x 625 x 220	870 x 625 x 220	870 x 625 x 220	1.070 x 625 x 220	1.070 x 625 x 220	1.270 x 625 x 220	1.270 x 625 x 220	1.470 x 625 x 220	1.470 x 625 x 220	1.470 x 625 x 220	1.470 x 625 x 220	1.670 x 625 x 220	1.670 x 625 x 220
Mod.	Cod.	OM3 versione orizzontale a soffitto (mobile con griglia aspirazione aria frontale) horizontal ceiling version (cabinet with front air intake grill)													
		FC 14 OM3	FC 24 OM3	FC 34 OM3	FC 44 OM3	FC 54 OM3	FC 64 OM3	FC74 OM3	FC 84 OM3	FC 94 OM3	FC 104 OM3	FC 94P OM3	FC 104P OM3	FC 114P OM3	FC 124P OM3
Euro															
(*) kg		15,9	16,4	19,5	20,3	26,3	27,3	30,5	32,0	35,2	36,7	36,2	37,7	39,9	43,4
L x H x S		670 x 470 x 220	670 x 470 x 220	870 x 470 x 220	870 x 470 x 220	1.070 x 470 x 220	1.070 x 470 x 220	1.270 x 470 x 220	1.270 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.470 x 470 x 220	1.670 x 470 x 220	1.670 x 470 x 220

(*) kg = Peso netto (solo unità, escluso imballo)
L x H x S = Lunghezza x Altezza x Spessore (dimensioni in mm)

(*) kg = Net weight (unit only, excluding packaging)
L x H x S = Length x Height x Depth (dimensions in mm)

